ICEBREAKER
WOODCRAFT

COLLECTION 01 / SEPTEMBER 2026

Lines & Entrances

123 designs | One design per page



Explore designs, materials and available dimensions. Images illustrate design concepts. Confirm final dimensions, material, carving depth and construction in the approved drawing before manufacture. Prices are supplied by quotation.

Custom sizes and finishes available by enquiry.
info@icebreaker.co.in | Rajpura, Punjab

IB-0001 | Noor

Louvers & fluted panels



Fine fluted louver wall

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm


Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0002 | Halo

Louvers & fluted panels



Arched louver composition

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0003 | Terra

Louvers & fluted panels



Warm vertical louver wall

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0004 | Ripple

Louvers & fluted panels



Curved louver feature

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0005 | Ember

Louvers & fluted panels



Deep louver wall

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0006 | Rive

Louvers & fluted panels



Alternating ribs with twin shadow lines

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0007 | Solis

Louvers & fluted panels



Off-centre sun-ray louver rhythm

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0008 | Canopy

Louvers & fluted panels



Tapered architectural rib field

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0009 | Veil

Louvers & fluted panels



Variable-width wave fluting

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0010 | Cove

Louvers & fluted panels



Paired channel louver profile

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0061 | Axis

Louvers & fluted panels



Twin ribs with diagonal reveal

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0062 | Tempo

Louvers & fluted panels



Stepped-depth rib triplets

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm


Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0063 | Loom

Louvers & fluted panels



Woven rib and band relief

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0064 | Cascade

Louvers & fluted panels



Descending fin staircase

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0065 | Meridian

Louvers & fluted panels



Mirrored central fin composition

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0066 | Sway

Louvers & fluted panels



Alternating bowed battens

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0067 | Ledger

Louvers & fluted panels



Staggered segmented rib field

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0068 | Quill

Louvers & fluted panels



Tapered blade-fin rhythm

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0069 | Portal

Louvers & fluted panels



Arch-forming vertical ribs

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0070 | Tide

Louvers & fluted panels



Multi-height wave ribs

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0071 | Grove

Louvers & fluted panels



Upper-branch louver system

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0072 | Pleat

Louvers & fluted panels



Alternating V-fold pleats

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0073 | Relay

Louvers & fluted panels



Level-to-level rib segments

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm


Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0074 | Crown

Louvers & fluted panels



Crowned fan-fin composition

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm


Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0075 | Tessera

Louvers & fluted panels



Depth-matrix vertical battens

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0076 | Serein

Louvers & fluted panels



Breeze-opening diagonal rib field

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0077 | Vanta

Louvers & fluted panels



Stepped alternating broad and narrow fins

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0078 | Lyra

Louvers & fluted panels



Elliptical negative-space rib composition

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0079 | Coda

Louvers & fluted panels



Grouped triplet ribs with shadow gaps

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0080 | Stria

Louvers & fluted panels



Convex and concave striated fluting

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0081 | Aalto

Louvers & fluted panels



Flowing variable-width wave fins

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0082 | Purl

Louvers & fluted panels



Woven vertical ribs and bridge bands

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0083 | Solace

Louvers & fluted panels



Shortened ribs forming a calm arch

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm


Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0084 | Brise

Louvers & fluted panels



Three-band angled breeze screen

Dimensions: 8 ft × 1 ft

Face / panel thickness: 8 mm

Material: 8 mm MDF louver face on a backing board

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0011 | Surya

Original carved doors



Radiant carved entrance door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0012 | Chakra

Original carved doors



Circular statement door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0013 | Orbit

Original carved doors



Sculpted half-mandala door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0014 | Yantra

Original carved doors



Geometric relief door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0015 | Tala

Original carved doors



Panelled heritage door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0016 | Aster

Original carved doors



Off-centre five-arm starburst door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0017 | Koru

Original carved doors



Unfurling fern-scroll entrance

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0018 | Saar

Original carved doors



Asymmetric topographic relief door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0019 | Reed

Original carved doors



Seven-stem botanical door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0020 | Axiom

Original carved doors



Angular faceted entrance door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0085 | Helix

Original carved doors



Twin spiral ribbon door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0086 | Veda

Original carved doors



Nine-square geometric mandala

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0087 | Arbor

Original carved doors



Seven-branch sculptural tree

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0088 | Parallax

Original carved doors



Offset rectangular frames

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face


Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0089 | Crest

Original carved doors



Layered mountain-ridge bands

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0090 | Kinetic

Original carved doors



Diagonal blade composition

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face


Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0091 | Tessel

Original carved doors



Interlocking hexagonal facets

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0092 | Nadi

Original carved doors



Three-channel river relief

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0093 | Vault

Original carved doors



Nested pointed arches

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0094 | Kashi

Original carved doors



Tiered temple-spire skyline

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0095 | Equinox

Original carved doors



Split sun and crescent door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0096 | Scribe

Original carved doors



Abstract continuous ribbon sweep

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0097 | Pinnacle

Original carved doors



Stacked spear geometry

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0098 | Talon

Original carved doors



Angular cuts and circular recess

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0099 | Oculus

Original carved doors



Radial circular oculus

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0100 | Navya

Original carved doors



Asymmetric folded ribbon door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0101 | Atrium

Original carved doors



Nested architectural portal door

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0102 | Aranya

Original carved doors



Abstract rising forest canopy

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0103 | Solstice

Original carved doors



Side sun with crossing long rays

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0104 | Samara

Original carved doors



Geometric winged-seed relief

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0105 | Kesara

Original carved doors



Layered saffron-flower geometry

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0106 | Ardor

Original carved doors



Interlocking flame-like carved planes

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0107 | Vahana

Original carved doors



Ascending faceted path and sweep

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0108 | Raga

Original carved doors



Five flowing grooves with circular pause

Dimensions: 8 ft × 4 ft

Face / panel thickness: 12 mm carved face

Material: 12 mm HDHMR carved face

Backing / retained material: seasoned batten frame with 6 mm MDF backing

Finish: Customer-selected colour / stain / polish

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0219 | Heritage Arch Door Frame

Door frames



An arched ornamental crest sits above fluted side columns, with small carved blocks defining the corners.

Dimensions: Source top-piece label: 58 × 14 in (1473.2 × 355.6 mm); overall frame dimensions to be confirmed

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0220 | Stepped Column Door Frame

Door frames



A broad decorated lintel is supported by side posts with alternating square blocks and stepped mouldings.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0221 | Figural Relief Door Frame

Door frames



Carved figure panels run along the upright posts beneath a richly decorated horizontal lintel.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0222 | Ceremonial Canopy Door Frame

Door frames



A projecting canopy with repeating finials crowns two intricately patterned side posts.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0223 | Staggered Slat Double Door

Double entrance doors



Raised vertical strips of different lengths create an irregular, layered rhythm across both leaves.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0224 | Border Strip Double Door

Double entrance doors



Quiet rectangular panels are paired with narrow patterned strips running beside the meeting edges.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0225 | Offset Block Double Door

Double entrance doors



An arrangement of offset rectangular blocks gives the two leaves a crisp, architectural texture.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0226 | Woven Lattice Double Door

Double entrance doors



Dense diagonal latticework fills two tall inset panels, framed by restrained vertical borders.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0227 | Concentric Ring Double Door

Double entrance doors



Circular bands radiate across the centre joint, joining both leaves into one continuous composition.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0228 | Diamond Panel Double Door

Double entrance doors



Stacked square panels contain star-like diamond patterns within a traditional rectangular frame.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0229 | Radiating Tile Double Door

Double entrance doors



Small raised tiles fan out around a central circular feature, creating a sunburst effect across the pair.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0230 | Geometric Heritage Double Door

Double entrance doors



A series of framed geometric panels combines square, diamond and floral accents in a formal arrangement.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0231 | Floral Rosette Double Door

Double entrance doors



Repeating flower-like rosettes fill the inset panels, creating an evenly patterned ornamental surface.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0232 | Linear Sunburst Double Door

Double entrance doors



Fine radiating lines spread from the central opening across textured rectangular door leaves.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0233 | Medallion Rail Double Door

Double entrance doors



Slim vertical rails surround a circular medallion on each leaf, balancing linear detail with a rounded focal point.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0234 | Square Mosaic Double Door

Double entrance doors



Small square recesses and raised details form a regular mosaic across the two narrow leaves.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0235 | Branch Relief Double Door

Double entrance doors



Stylised branching stems rise within long framed panels for a restrained botanical composition.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0236 | Ornamental Panel Double Door

Double entrance doors



Four stacked decorative panels on each leaf are separated by plain horizontal spaces.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0237 | Floral Inset Double Door

Double entrance doors



Small square floral inserts punctuate a simple grid of horizontal and vertical lines.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0238 | Petal Halo Double Door

Double entrance doors



A densely layered circular petal motif is divided by the centre opening, surrounded by plain framed fields.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0239 | Scroll Ribbon Double Door

Double entrance doors



Two tall carved ribbons carry repeating curved motifs within straight, substantial borders.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0240 | Leaf Cluster Entrance Door

Single entrance doors



An asymmetric cluster of pointed leaf forms rises across a fine-lined inset field.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0241 | Slant Line Entrance Door

Single entrance doors



Spaced, slightly angled horizontal lines introduce movement across an otherwise plain rectangular face.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0242 | Chevron Stripe Entrance Door

Single entrance doors



A narrow band of fine chevron grooves contrasts with the smoother surrounding surface.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0243 | Textured Panel Entrance Door

Single entrance doors



Three softly textured rectangular fields are stacked between long, slender side mouldings.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0244 | Half Mandala Entrance Door

Single entrance doors



A large semicircular ornament with concentric carved bands extends inward from one side of the door.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0245 | Contour Swirl Entrance Door

Single entrance doors



Close-set flowing grooves circle an off-centre point, creating a fluid topographic appearance.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0246 | Twin Emblem Entrance Door

Single entrance doors



Two small diamond-shaped emblems accent a staggered arrangement of rectangular divisions.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0247 | Radiating Fan Entrance Door

Single entrance doors



Layered fan-shaped bands spread from one edge, combining fine ridges with deeper sculptural accents.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0248 | Floral Spine Entrance Door

Single entrance doors



A central vertical strip of scrolling ornament is bordered by orderly horizontal grooves.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0249 | Classic Medallion Entrance Door

Single entrance doors



An ornate circular centrepiece, curved mouldings and corner flourishes form a classical door-face composition.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0250 | Swept Oval Entrance Door

Single entrance doors



Curving bands frame a textured oval field, with scrollwork filling opposing corners.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0251 | Corner Lace Interior Door

Interior doors



A fine geometric pattern follows one edge and corner, leaving most of the face visually quiet.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0252 | Square Grid Interior Door

Interior doors



A rectangular grid is accented with selected dark patterned squares for a measured geometric arrangement.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0253 | Petal Band Interior Door

Interior doors



A broad strip of repeating four-petal shapes runs down one side beside a plain field.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0254 | Maze Stripe Interior Door

Interior doors



A narrow labyrinth-like patterned band adds detail beside a larger, minimally decorated surface.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0255 | Crested Panel Pooja Doors

Pooja doors



Small shaped openings line the upper panels above carved lower sections and curved panel tops.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0256 | Stepped Border Pooja Doors

Pooja doors



Repeated stepped mouldings frame a line of small rectangular openings on each door leaf.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0257 | Floral Opening Pooja Doors

Pooja doors



A column of flower-shaped openings sits above carved lower panels within a narrow double-door format.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0258 | Diamond Lattice Pooja Doors

Pooja doors



An all-over lattice combines repeated curved diamond shapes and open spaces across both leaves.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0259 | Shrine Arch Pooja Doors

Pooja doors



Stacked arched openings are enclosed by tall shrine-like carved surrounds and detailed lower panels.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0260 | Ornate Grille Pooja Doors

Pooja doors



A tall decorative grille sits between floral upper accents and carved lower panels.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0261 | Lotus Accent Pooja Doors

Pooja doors



Round openings alternate with small lotus-like motifs along two slender, vertically grooved leaves.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0262 | Fine Jali Pooja Doors

Pooja doors



Long fine-patterned openings contrast with solid lower panels and a central ornamental accent.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0263 | Devotional Inset Pooja Doors

Pooja doors



Small decorative inset squares are arranged vertically within a dark framed double-door design.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0264 | Floral Jali Pooja Doors

Pooja doors



Open floral scrollwork fills the upper panels above solid carved lower sections.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0265 | Scattered Cutout Pooja Doors

Pooja doors



Small repeated cutouts are spaced across a lightly divided pair of plain door leaves.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0266 | Geometric Cluster Pooja Doors

Pooja doors



A rising cluster of interlocking motifs crosses the centre joint between small square openings.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0267 | Symbol Panel Pooja Doors

Pooja doors



A vertical series of decorative symbols is framed by larger rectangular openings on either side.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0268 | Roundel Temple Doors

Temple doors



Circular ornamental medallions are stacked within finely framed rectangular panels.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0269 | Figural Panel Temple Doors

Temple doors



Individual figure reliefs occupy stacked square panels across a symmetrical double-door arrangement.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0270 | Emblem Centre Temple Doors

Temple doors



Large central ornamental emblems are surrounded by small square panels and curling corner details.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0271 | Narrative Panel Temple Doors

Temple doors



Numerous small carved compartments create a dense vertical arrangement of figural and architectural details.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0272 | Square Rosette Temple Doors

Temple doors



An orderly grid of framed square rosettes covers both leaves within a strong outer border.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design


Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.

IB-0273 | Wheel Motif Temple Door

Temple doors



Circular wheel-like motifs repeat within square panels down a slender door face.

Dimensions: To be confirmed — provide required width and height

Face / panel thickness: Confirmed with the approved design

Material: Selected and confirmed in the quotation

Finish: Selected and confirmed in the quotation

Ordering: Share the product code and required size. Final construction and CNC machining details are confirmed after design and material approval.